



Muro continues to be the leader in the auto-feed screw driving industry by engineering the highest quality and most efficient fastener solutions through innovation and collaboration with our valued partners.

1-800-665-6876 muro.com



OUR TOOLS
IN ACTION




FIND A
DISTRIBUTOR
NEAR YOU



Custom tool solutions that
will change the way you work



Product Catalog



muro.com

1-800-665-6876





Muro was established in January of 1991. Our Canadian head office and factory located in Brampton, Ontario provides full service, manufacturing, distribution, engineering, product development and support functions.

Muro sets itself apart by continuously improving design and functionality of our auto-feed systems. We extend full engineering support and product development for custom fasteners and tools, to fit customer needs.

Muro offers the widest range of tools and fasteners available today. We supply full-line coil and strip feed tools along with collated fasteners in currently 16 countries globally, and for various industries: construction, manufacturing, roofing, framing, transportation, dock and marine.

Muro continues to be the leader in the auto-feed screw driving industry by engineering the highest quality and most efficient fastener solutions through innovation and collaboration with our valued partners.

CONTENTS

03	FDVL42 - SPEED DRIVER
04	FDVL42 - COLLATED SCREW COIL
05	FLVL42 - POWER DRIVER
06	FLVL42 - COLLATED SCREW COIL
07	HDVL71 - HEAVY DUTY DRIVER
08	HDVL71 - COLLATED SCREW COIL
09	CH7241 - EASY DRIVER
10	CH7241 - COLLATED SCREW STRIP
11	CH7280 - METAL PRO II
12	CH7280 - COLLATED SCREW STRIP
13	CH7390 & CH7392 - ULTRA DRIVER
14	CH7390 & CH7392 - COLLATED SCREW STRIP
15	STRIP FASTENERS - COIL FASTENERS
17	COIL FASTENERS cont.

FDVL42 SPEED DRIVER

The FDVL42 Auto-Feed Screw Driver is the workhorse of our stable of drivers. Deck, Dock, Cement Board, Subfloor and Underlayment installs are a breeze with an easy load 150 screw coil and adjustable T-handle for stand-up operation.

- Adjustable depth control for repeatable countersinking
- Drives 1" to 3" screws (#6, #8 and #10)
- No pre-drilling required, even for exotic hardwoods like IPE
- Eliminates dropped or lost screws
- 150 screws per easy load coil
- Work while standing up. Reduces stress on back and knees
- Modifiable T-handle for perfect standing fit
- Tool stands on its own when not in use

Specifications

Speed: 2300 RPM or 2800 RPM
Voltage: 115V **Current:** 5.2A
Screw Range: 1"–3"
Accessories: Telescopic Extension Handle
Driver Bits – Double-ended, longer lifespan:
SQR17114 (#1 Square Drive), **SQR27114** (#2 Square Drive),
PHL27114 (#2 Phillips Drive),
TX207114 (#20 Torx Drive), **TX257114** (#25 Torx Drive)

Muro Coil Auto-Feed Screw Driving Systems

Get the Muro advantage, a simple one step process. No pre-drilling is required with our electric drive systems. Up to one hundred and fifty fasteners per easy load coil. Our patented Super Wing screws are designed to ream a clearance hole so the threads do not engage in the wood. On contact with metal, reamer wings break off, leaving the self-drill point to drill the metal while the self-threading screw pulls the wood tight to the metal. These tools can handle many jobs: Bus/RV/Trailer Floor fabrication and restoration; Wood to Steel framing; and manufacturing of commercial vehicles such as Horse and Utility Trailers.

FDVL42 COLLATED SCREW COIL

PART #	SIZE	THREAD	HEAD	RECESS	SCREW TIP	COATING	APPLICATION
WOOD SCREWS (SUBFLOOR AND UNDERLAYMENT)							
CH8114Y	#8 X 1-1/4"	TWINFAST COARSE	FLAT	#2 PHILLIPS	SHARP POINT	YELLOW ZINC	WOOD TO WOOD
CH8134Y	#8 X 1-3/4"	TWINFAST COARSE	FLAT	#2 PHILLIPS	SHARP POINT	YELLOW ZINC	WOOD TO WOOD
CH8134YLP	#8 X 1-3/4"	TWINFAST COARSE	FLAT	#2 PHILLIPS	SHARP POINT	YELLOW ZINC	WOOD TO WOOD
CH8212YLP	#8 X 2-1/2"	TWINFAST COARSE	FLAT	#2 PHILLIPS	SHARP POINT	YELLOW ZINC	WOOD TO WOOD
CS8112Y	#8 X 1-1/2"	TWINFAST COARSE	FLAT	#2 SQUARE	SHARP POINT	YELLOW ZINC	WOOD TO WOOD
CS8114Y	#8 X 1-1/4"	TWINFAST COARSE	FLAT	#2 SQUARE	SHARP POINT	YELLOW ZINC	WOOD TO WOOD
CS8134Y	#8 X 1-3/4"	TWINFAST COARSE	FLAT	#2 SQUARE	SHARP POINT	YELLOW ZINC	WOOD TO WOOD
CS8134YLP	#8 X 1-3/4"	TWINFAST COARSE	FLAT	#2 SQUARE	SHARP POINT	YELLOW ZINC	WOOD TO WOOD
CS8200YLP	#8 X 2"	TWINFAST COARSE	FLAT	#2 SQUARE	SHARP POINT	YELLOW ZINC	WOOD TO WOOD
CS8212YLP	#8 X 2-1/2"	TWINFAST COARSE	FLAT	#2 SQUARE	SHARP POINT	YELLOW ZINC	WOOD TO WOOD
CS8300YEP	#8 X 3"	TWINFAST COARSE	FLAT	#2 SQUARE	SHARP POINT	YELLOW ZINC	WOOD TO WOOD
CS0212BLP	#10 X 2-1/2"	TWINFAST COARSE	FLAT	#2 SQUARE	SHARP POINT	BRIGHT ZINC	WOOD TO WOOD
STAINLESS STEEL (SS) SCREWS							
CS8200SLP-TT7	#8 X 2"	TWINFAST COARSE	BUGLE	#2 SQUARE	TYPE 17 SHARP POINT	SS, TYPE 305	WOOD TO WOOD
CS8212SLP-TT7	#8 X 2-1/2"	TWINFAST COARSE	BUGLE	#2 SQUARE	TYPE 17 SHARP POINT	SS, TYPE 305	WOOD TO WOOD
CS0212SLP-TT7	#10 X 2-1/2"	TWINFAST COARSE	BUGLE	#2 SQUARE	TYPE 17 SHARP POINT	SS, TYPE 305	WOOD TO WOOD
CS0300SEP-TT7	#10 X 3"	TWINFAST COARSE	BUGLE	#2 SQUARE	TYPE 17 SHARP POINT	SS, TYPE 305	WOOD TO WOOD
CS0212SLP-316	#10 X 2-1/2"	TWINFAST COARSE	BUGLE	#2 SQUARE	SHARP POINT	SS, TYPE 316	WOOD TO WOOD
CS0300SEP-316	#10 X 3"	TWINFAST COARSE	BUGLE	#2 SQUARE	SHARP POINT	SS, TYPE 316	WOOD TO WOOD
CX0300SEP-TT7	#10 X 3"	COARSE	BUGLE	#20 TORX	TYPE 17 SHARP POINT	SS, TYPE 305	WOOD TO WOOD
TX0212SFD	#10 X 2-1/2"	COARSE	TRIM	#20 TORX	SHARP POINT	SS, TYPE 305	COMPOSITE DECKING
TX0300SEP	#10 X 3"	COARSE	TRIM	#20 TORX	SHARP POINT	SS, TYPE 305	COMPOSITE DECKING
TX0212SFD-316	#10 X 2-1/2"	COARSE	TRIM	#20 TORX	SHARP POINT	SS, TYPE 316	COMPOSITE DECKING
TX0212SLP-EX	#10 X 2-1/2"	COARSE	FLAT W/ NIBS	#20 TORX	SHARP ARROW POINT	SS, TYPE 305	COMPOSITE/HARDWOOD DECKING
TX0300SEP-EX	#10 X 3"	COARSE	FLAT W/ NIBS	#20 TORX	SHARP POINT	SS, TYPE 305	COMPOSITE/HARDWOOD DECKING
CEMENT BOARD SCREWS							
ABS8134G	#8 X 1-3/4"	COARSE	FLAT	#2 SQUARE	SHARP POINT	SILVER, CLASS 3 GALVANIZED	CEMENT BOARD TO WOOD
RS0158G	#10 X 1-5/8"	SELF-TAPPING	FLAT W/ NIBS	#2 SQUARE	SELF-DRILLING W/ WINGS	SILVER, CLASS 3 GALVANIZED	CEMENT BOARD TO WOOD/STEEL
EXTERIOR SCREWS							
ES8200WLP-G	#8 X 2"	TWINFAST COARSE	FLAT W/ NIBS	#2 SQUARE	SHARP POINT	EPOXY SHIELDGUARD, GREEN	DECKING
ES8200WLP-GY	#8 X 2"	TWINFAST COARSE	FLAT W/ NIBS	#2 SQUARE	SHARP POINT	EPOXY SHIELDGUARD, GRAY	DECKING
ES8212WLP-B	#8 X 2-1/2"	TWINFAST COARSE	FLAT W/ NIBS	#2 SQUARE	SHARP POINT	EPOXY SHIELDGUARD, BROWN	DECKING
ES8212WLP-G	#8 X 2-1/2"	TWINFAST COARSE	FLAT W/ NIBS	#2 SQUARE	SHARP POINT	EPOXY SHIELDGUARD, GREEN	DECKING
ES8212WLP-GY	#8 X 2-1/2"	TWINFAST COARSE	FLAT W/ NIBS	#2 SQUARE	SHARP POINT	EPOXY SHIELDGUARD, GRAY	DECKING
ES8300WEP-B	#8 X 3"	TWINFAST COARSE	FLAT W/ NIBS	#2 SQUARE	SHARP POINT	EPOXY SHIELDGUARD, BROWN	DECKING
ES8300WEP-G	#8 X 3"	TWINFAST COARSE	FLAT W/ NIBS	#2 SQUARE	SHARP POINT	EPOXY SHIELDGUARD, GREEN	DECKING
ES8300WEP-GY	#8 X 3"	TWINFAST COARSE	FLAT W/ NIBS	#2 SQUARE	SHARP POINT	EPOXY SHIELDGUARD, GRAY	DECKING
TX0212CLP-GY	#10 X 2-1/2"	REVERSE	TRIM	#20 TORX	SHARP POINT	CERAMIC, GRAY	COMPOSITE DECKING
TX0212CLP-TN	#10 X 2-1/2"	REVERSE	TRIM	#20 TORX	SHARP POINT	CERAMIC, TAN	COMPOSITE DECKING
YS8212SLP	#8 X 2-1/2"	COARSE	TRIM	#2 SQUARE	SHARP POINT	SS, TYPE 305	DECKING

FLVL42 POWER DRIVER

The FLVL42 Auto-Feed Screw Driver is the big brother of the FDVL42 driver. **Truck, Trailer and RV Floor** installs are made simple with an easy load screw coil and adjustable T-handle for stand-up operation. The FLVL42 gets the job done fast.

- Adjustable depth control for repeatable countersinking
- Drives 1" to 4" screws (#8, #12 and #14)
- No pre-drilling required
- Eliminates dropped or lost screws
- Up to 150 screws per easy load coil
- Work while standing up. Reduces stress on back and knees
- Modifiable T-handle for perfect standing fit
- Tool stands on its own when not in use

Specifications

Speed: 1200 RPM, 1800 RPM or 2300 RPM

Voltage: 115V **Current:** 5.2A

Screw Range: 1"-4"

Accessories: Telescopic extension handle

Driver Bits – Double-ended, longer lifespan:


SQR28118 (#2 Square Drive), **SQR38000** (#3 Square Drive),

PHL28118 (#2 Phillips Drive), **PHL38000** (#3 Phillips Drive),

TX258118 (#25 Torx Drive), **TX278118** (#27 Torx Drive)



FLVL42 COLLATED SCREW COIL



PART #	SIZE	THREAD	HEAD	RECESS	SCREW TIP	COATING	APPLICATION
SUPER WING SCREWS							
RSM532BFL	M5 X 32 MM (#12 X 1-1/4")	SELF-TAPPING	FLAT W/ NIBS	#2 SQUARE	SELF-DRILLING W/ WINGS	BRIGHT ZINC	WOOD TO STEEL/ALUMINUM
RSM537BFL	M5 X 37 MM (#12 X 1-1/2")	SELF-TAPPING	FLAT W/ NIBS	#2 SQUARE	SELF-DRILLING W/ WINGS	BRIGHT ZINC	WOOD TO STEEL/ALUMINUM
RSM547BFL	M5 X 47 MM (#12 X 1-3/4")	SELF-TAPPING	FLAT W/ NIBS	#2 SQUARE	SELF-DRILLING W/ WINGS	BRIGHT ZINC	WOOD TO STEEL/ALUMINUM
RSM562BFL	M5 X 62 MM (#12 X 2-1/2")	SELF-TAPPING	FLAT W/ NIBS	#2 SQUARE	SELF-DRILLING W/ WINGS	BRIGHT ZINC	WOOD TO STEEL/ALUMINUM
RSM572BFL	M5 X 72 MM (#12 X 3")	SELF-TAPPING	FLAT W/ NIBS	#2 SQUARE	SELF-DRILLING W/ WINGS	BRIGHT ZINC	WOOD TO STEEL/ALUMINUM
RSM640BFL	M6 X 40 MM (#14 X 1-1/2")	SELF-TAPPING	FLAT W/ NIBS	#3 SQUARE	SELF-DRILLING W/ WINGS	BRIGHT ZINC	WOOD TO STEEL/ALUMINUM
RSM645BFL	M6 X 45 MM (#14 X 1-3/4")	SELF-TAPPING	FLAT W/ NIBS	#3 SQUARE	SELF-DRILLING W/ WINGS	BRIGHT ZINC	WOOD TO STEEL/ALUMINUM
RSM655BFL	M6 X 55 MM (#14 X 2")	SELF-TAPPING	FLAT W/ NIBS	#3 SQUARE	SELF-DRILLING W/ WINGS	BRIGHT ZINC	WOOD TO STEEL/ALUMINUM
RSM665BFL	M6 X 65 MM (#14 X 2-1/2")	SELF-TAPPING	FLAT W/ NIBS	#3 SQUARE	SELF-DRILLING W/ WINGS	BRIGHT ZINC	WOOD TO STEEL/ALUMINUM
RSM675BFL	M6 X 75 MM (#14 X 3")	SELF-TAPPING	FLAT W/ NIBS	#3 SQUARE	SELF-DRILLING W/ WINGS	BRIGHT ZINC	WOOD TO STEEL/ALUMINUM
RSM547WFL-GY	M5 X 47 MM (#12 X 1-3/4")	SELF-TAPPING	FLAT W/ NIBS	#2 SQUARE	SELF-DRILLING W/ WINGS	EPOXY SHIELDGUARD, GRAY	WOOD TO STEEL/ALUMINUM
RSM562WFL-GY	M5 X 62 MM (#12 X 2-1/2")	SELF-TAPPING	FLAT W/ NIBS	#2 SQUARE	SELF-DRILLING W/ WINGS	EPOXY SHIELDGUARD, GRAY	WOOD TO STEEL/ALUMINUM
RSM645WFL-GY	M6 X 45 MM (#14 X 1-3/4")	SELF-TAPPING	FLAT W/ NIBS	#3 SQUARE	SELF-DRILLING W/ WINGS	EPOXY SHIELDGUARD, GRAY	WOOD TO STEEL/ALUMINUM
RSM665WFL-GY	M6 X 65 MM (#14 X 2-1/2")	SELF-TAPPING	FLAT W/ NIBS	#3 SQUARE	SELF-DRILLING W/ WINGS	EPOXY SHIELDGUARD, GRAY	WOOD TO STEEL/ALUMINUM
RSM675WFL-GY	M6 X 75 MM (#14 X 3")	SELF-TAPPING	FLAT W/ NIBS	#3 SQUARE	SELF-DRILLING W/ WINGS	EPOXY SHIELDGUARD, GRAY	WOOD TO STEEL/ALUMINUM
SPECIALTY SCREWS							
CS8300YEPSPEC	#8 X 3"	TWINFAST COARSE	BUGLE	#2 SQUARE	SHARP POINT	YELLOW ZINC	FLOORING/DECKING
CXM655PFL	M6 X 55 MM (#14 X 2")	COARSE	FLAT W/ NIBS	#30 TORX	TYPE F (PRE-DRILLING REQ'D)	BLACK PHOSPHATE	TRAILER FLOOR
RSM644SFL	M6 X 44 MM (#14 X 1-3/4")	SELF-TAPPING	FLAT W/ NIBS	#3 SQUARE	SELF-DRILLING W/ WINGS	SS, TYPE 410	WOOD TO STEEL/ALUMINUM
WS2134BFL	#12 X 1-3/4"	SELF-TAPPING	WAFER	#3 SQUARE	SELF-DRILLING	BRIGHT ZINC	FIBREGLASS TO STEEL
WS2138BFL	#12 X 1-3/8"	SELF-TAPPING	WAFER	#3 SQUARE	SELF-DRILLING	BRIGHT ZINC	FIBREGLASS TO STEEL

HDVL71 HEAVY DUTY DRIVER

The HDVL71 Auto-Feed Screw Driver is a real powerhouse. Trailer, Bus and RV Floors requiring wood to steel fastening, will benefit greatly from our specialized screws that pre-drill and countersink in one smooth operation.

- Adjustable depth control for repeatable countersinking
- Drives 1" to 3" screws (#12 and #14)
- No pre-drilling required (steel or aluminum up to 3/16")
- Eliminates dropped or lost screws
- 100 screws per easy load coil
- Work while standing up. Reduces stress on back and knees
- Modifiable T-handle for perfect standing fit
- Tool stands on its own when not in use

Specifications

Speed Per Model: ~1200 RPM (HDVL71-058)
~1700 RPM (HDVL71-083)
~2200 RPM (HDVL71-100)

Voltage: 115V **Current:** 5.2A

Screw Range: 1" - 3"

Accessories: Telescopic Extension Handle


Driver Bits - Double-ended, longer lifespan:

SQR28118 (#2 Square Drive), **SQR38000** (#3 Square Drive),


PHL28118 (#2 Phillips Drive), **PHL38000** (#3 Phillips Drive),

TX208118 (#20 Torx Drive), **TX258118** (#25 Torx Drive),

TX278118 (#27 Torx Drive), **TX308118** (#30 Torx Drive)



HDVL71 COLLATED SCREW COIL



PART #	SIZE	THREAD	HEAD	RECESS	SCREW TIP	COATING	APPLICATION
SUPER WING SCREWS							
RSM532BFL	M5 X 32 MM (#12 X 1-1/4")	SELF-TAPPING	FLAT W/ NIBS	#2 SQUARE	SELF-DRILLING W/ WINGS	BRIGHT ZINC	WOOD TO STEEL/ALUMINUM
RSM537BFL	M5 X 37 MM (#12 X 1-1/2")	SELF-TAPPING	FLAT W/ NIBS	#2 SQUARE	SELF-DRILLING W/ WINGS	BRIGHT ZINC	WOOD TO STEEL/ALUMINUM
RSM547BFL	M5 X 47 MM (#12 X 1-3/4")	SELF-TAPPING	FLAT W/ NIBS	#2 SQUARE	SELF-DRILLING W/ WINGS	BRIGHT ZINC	WOOD TO STEEL/ALUMINUM
RSM562BFL	M5 X 62 MM (#12 X 2-1/2")	SELF-TAPPING	FLAT W/ NIBS	#2 SQUARE	SELF-DRILLING W/ WINGS	BRIGHT ZINC	WOOD TO STEEL/ALUMINUM
RSM572BFL	M5 X 72 MM (#12 X 3")	SELF-TAPPING	FLAT W/ NIBS	#2 SQUARE	SELF-DRILLING W/ WINGS	BRIGHT ZINC	WOOD TO STEEL/ALUMINUM
RSM640BFL	M6 X 40 MM (#14 X 1-1/2")	SELF-TAPPING	FLAT W/ NIBS	#3 SQUARE	SELF-DRILLING W/ WINGS	BRIGHT ZINC	WOOD TO STEEL/ALUMINUM
RSM645BFL	M6 X 45 MM (#14 X 1-3/4")	SELF-TAPPING	FLAT W/ NIBS	#3 SQUARE	SELF-DRILLING W/ WINGS	BRIGHT ZINC	WOOD TO STEEL/ALUMINUM
RSM655BFL	M6 X 55 MM (#14 X 2")	SELF-TAPPING	FLAT W/ NIBS	#3 SQUARE	SELF-DRILLING W/ WINGS	BRIGHT ZINC	WOOD TO STEEL/ALUMINUM
RSM665BFL	M6 X 65 MM (#14 X 2-1/2")	SELF-TAPPING	FLAT W/ NIBS	#3 SQUARE	SELF-DRILLING W/ WINGS	BRIGHT ZINC	WOOD TO STEEL/ALUMINUM
RSM675BFL	M6 X 75 MM (#14 X 3")	SELF-TAPPING	FLAT W/ NIBS	#3 SQUARE	SELF-DRILLING W/ WINGS	BRIGHT ZINC	WOOD TO STEEL/ALUMINUM
RSM547WFL-GY	M5 X 47 MM (#12 X 1-3/4")	SELF-TAPPING	FLAT W/ NIBS	#2 SQUARE	SELF-DRILLING W/ WINGS	EPOXY SHIELDGUARD, GRAY	WOOD TO STEEL/ALUMINUM
RSM562WFL-GY	M5 X 62MM (#12 X 2-1/2")	SELF-TAPPING	FLAT W/ NIBS	#2 SQUARE	SELF-DRILLING W/ WINGS	EPOXY SHIELDGUARD, GRAY	WOOD TO STEEL/ALUMINUM
RSM645WFL-GY	M6 X 45 MM (#14 X 1-3/4")	SELF-TAPPING	FLAT W/ NIBS	#3 SQUARE	SELF-DRILLING W/ WINGS	EPOXY SHIELDGUARD, GRAY	WOOD TO STEEL/ALUMINUM
RSM665WFL-GY	M6 X 65 MM (#14 X 2-1/2")	SELF-TAPPING	FLAT W/ NIBS	#3 SQUARE	SELF-DRILLING W/ WINGS	EPOXY SHIELDGUARD, GRAY	WOOD TO STEEL/ALUMINUM
RSM675WFL-GY	M6 X 75 MM (#14 X 3")	SELF-TAPPING	FLAT W/ NIBS	#3 SQUARE	SELF-DRILLING W/ WINGS	EPOXY SHIELDGUARD, GRAY	WOOD TO STEEL/ALUMINUM
SPECIALTY SCREWS							
RSM644SFL	M6 X 44MM (#14 X 1-3/4")	SELF-TAPPING	FLAT W/ NIBS	#3 SQUARE	SELF-DRILLING W/ WINGS	SS, TYPE 410	WOOD TO STEEL/ALUMINUM



CH7241 EASY DRIVER

The CH7241 Auto-Feed Screw Driver excels at the light jobs: **Drywall, Backer Board, Cement Board, Underlayment, Fencing and Metal Framing.** Lightweight, easy to load and simple to use. Just slip in a 30 screw strip and you're ready to go. With consistent depth control and an 18V battery option, this machine belongs on every tool belt.

- Adjustable depth control for repeatable countersinking
- Drives 3/4" to 1-5/8" screws (#6, #8 and #10)
- No pre-drilling or pre-countersinking required
- Eliminates dropped or lost screws
- 30 screws per easy load strip
- Rubber nosepiece protects surfaces
- Flexibility to work while standing up with optional T-handle
- Housing can be rotated for tight spaces
- Cordless or electric drive systems



CH7241DE & CH7241WU Auto-Feed Screw Driving System

The Easy Driver family of tools provides the flexibility to handle a variety of jobs and delivers a tremendous advantage in labor savings. Get your project done in a fraction of the time compared to more traditional methods. This simple to use system attaches to a wide range of screw driving tools. Muro attachments are made of durable reinforced nylon and cast metal parts, for years of trouble-free driving.

MODEL	APPLICATION	SCREW RANGE
CH7241DE	DRYWALL, CEMENT	3/4" - 1-5/8"
CH7241WU	METAL WALL SKINNING, ROOFING, SHEET METAL	3/4" - 1-5/8"

Screw Range: 3/4" - 1-5/8"

Accessories: Telescopic Extension Handle, Carrying Bag, Screw Pouch


Driver Bits - Double-ended, longer lifespan:

SQR25118 (#2 Square Drive),

PHL25118 (#2 Phillips Drive)

Adapters: Mount to power screw drivers. Available for popular brands: Makita, DeWalt and others.

CH7241 COLLATED SCREW STRIP



PART #	SIZE	THREAD	HEAD	RECESS	SCREW TIP	COATING	APPLICATION
DRYWALL SCREWS							
AH6100PMS	#6 X 1"	FINE	BUGLE	#2 PHILLIPS	SHARP POINT	BLACK PHOSPHATE	DRYWALL TO METAL STUD
AH6114PMS	#6 X 1-1/4"	FINE	BUGLE	#2 PHILLIPS	SHARP POINT	BLACK PHOSPHATE	DRYWALL TO METAL STUD
AH6158PMS	#6 X 1-5/8"	FINE	BUGLE	#2 PHILLIPS	SHARP POINT	BLACK PHOSPHATE	DRYWALL TO METAL STUD
BH6100PMS	#6 X 1"	COARSE	BUGLE	#2 PHILLIPS	SHARP POINT	BLACK PHOSPHATE	DRYWALL TO WOOD
BH6114PMS	#6 X 1-1/4"	COARSE	BUGLE	#2 PHILLIPS	SHARP POINT	BLACK PHOSPHATE	DRYWALL TO WOOD
BH6158PMS	#6 X 1-5/8"	COARSE	BUGLE	#2 PHILLIPS	SHARP POINT	BLACK PHOSPHATE	DRYWALL TO WOOD
SPECIALTY SCREWS							
YS7114YMS	#7 X 1-1/4"	HIGH-LOW SELF-TAPPING	TRIM	#2 SQUARE	SHARP POINT	YELLOW ZINC	SUBFLOOR AND UNDERLAYMENT, WOOD TO WOOD



CH7280 METAL PRO II

The CH7280 Auto-Feed Screw Driver is the go-to for metal workers. Metal Wall Skinning, Metal Roofing, Sheet Metal, Steel to Steel Framing and HVAC. Driving screws in metal has never been easier. Lightweight, easy to load and simple to use. Just slip in a 25 screw strip and you're ready to work. With consistent depth control and two optional nose designs to accommodate a wide variety of fasteners, the CH7280 can handle various applications.

- Adjustable depth control for repeatable countersinking
- Drives 5/8" to 1-1/2" screws (#10 and #12)
- No pre-drilling or pre-countersinking required
- Eliminates dropped or lost screws
- 25 screws per easy load strip
- Rubber nosepiece protects surfaces
- Flexibility to work while standing up with optional T-handle
- Housing can be rotated for tight spaces
- Cordless or electric drive systems



CH7280LU

DRIVES 1" - 1-1/2"

- Durable housing made from glass-filled reinforced nylon
- Nickel-plated screw guides for extended wear
- 25 screws per strip. Easy loading
- Eliminates stripping in thin gauge metals


CH7280SU

DRIVES 5/8" - 3/4"

CH7280 COLLATED SCREW STRIP

PART #	SIZE	THREAD	HEAD	RECESS	SCREW TIP	COATING	APPLICATION
SELF-DRILLING SCREWS (METAL TO METAL)							
SS0100BMP	#10 X 1"	FINE	LOCK	#2 SQUARE	SELF-DRILLING	BRIGHT ZINC	METAL TO METAL (LIGHT GAUGE STEEL)
SS0114BMP	#10 X 1-1/4"	FINE	LOCK	#2 SQUARE	SELF-DRILLING	BRIGHT ZINC	METAL TO METAL (LIGHT GAUGE STEEL)
ROOFING SCREWS (METAL TO METAL)							
K40T12B-W-XX	#10 X 1-1/2"	COARSE	HEX W/ SEALING EPDM WASHER	1/4" HEX	SHARP POINT	BRIGHT ZINC	ROOFING / METAL TO METAL (LIGHT GAUGE STEEL)

XX: HEAD COLOR (PLEASE CONTACT DISTRIBUTOR FOR COLOR AND AVAILABILITY)



CH7390 & CH7392SF ULTRA DRIVER

The CH7390 Auto-Feed Screw Driver is our most versatile general purpose driver, and will be the go-to device in your tool box. **Docks, Decks, Fencing, Drywall, Cement Board, Tile Roofing and Subfloors** are just a few of the jobs this tool can fly through.

Grab a CH7392SF, specialized for your subflooring and underlayment needs. We have you covered for every project.

- Adjustable depth control for repeatable countersinking
- Drives 1-1/2" to 3" screws (#6, #8 and #10)
- No pre-drilling or pre-countersinking required
- Eliminates dropped or lost screws
- 30 screws per easy load strip
- Flexibility to use while standing up with optional T-handle
- Housing can be rotated for tight spaces
- Cordless or electric drive systems



CH7390 & CH7392SF

Lightweight and Versatile. Excellent performance for both vertical and horizontal fastening. Muro's Ultra Driver series of tools provides the durability and ruggedness that professional contractors and serious do-it-yourselfers expect. This easy to use attachment system mounts to a variety of screw driving tools. Available in two models: CH7390 is perfect for general purpose subfloor and deck applications; CH7392SF is specifically designed for rapid subfloor installations that any flooring contractor will appreciate. Both models feature short stroke action and a non-slip nosepiece for high production fastening.

MODEL	APPLICATION	SCREW RANGE
CH7390	UNDERLAYMENT, SUBFLOOR, DECKS, DOCKS, FRAMING, ROOFING	1-1/2" - 3"
CH7392SF	UNDERLAYMENT, SUBFLOOR	1" - 2"

Accessories: Telescopic Extension Handle, Carrying Bag, Screw Pouch

Driver Bits - Double-ended, longer lifespan:

SQR18118 (#1 Square Drive), **SQR28118** (#2 Square Drive),

PHL28118 (#2 Phillips Drive),

TX208118 (#20 Torx Drive), **TX258118** (#25 Torx Drive)

Adapters: Mount to power screw drivers. Available for popular brands: Makita, DeWalt and others.

CH7390 & CH7392SF COLLATED SCREW STRIP

PART #	SIZE	THREAD	HEAD	RECESS	SCREW TIP	COATING	APPLICATION	TOOL
DRYWALL SCREWS								
AH6158PMSU	#6 X 1-5/8"	FINE	BUGLE	#2 PHILLIPS	SHARP POINT	BLACK PHOSPHATE	DRYWALL TO METAL STUD	CH7390
BH6158PMSU	#6 X 1-5/8"	COARSE	BUGLE	#2 PHILLIPS	SHARP POINT	BLACK PHOSPHATE	DRYWALL TO WOOD	CH7390 / CH7392SF
WOOD SCREWS (SUBFLOOR AND UNDERLAYMENT)								
CS8112YMSU	#8 X 1-1/2"	TWINFAST COARSE	FLAT W/ NIBS	#2 SQUARE	SHARP POINT	YELLOW ZINC	WOOD TO WOOD	CH7390 / CH7392SF
CS8134YMSU	#8 X 1-3/4"	TWINFAST COARSE	FLAT W/ NIBS	#2 SQUARE	SHARP POINT	YELLOW ZINC	WOOD TO WOOD	CH7390 / CH7392SF
CS8212YMSU	#8 X 2-1/2"	TWINFAST COARSE	FLAT W/ NIBS	#2 SQUARE	SHARP POINT	YELLOW ZINC	WOOD TO WOOD	CH7390
CS8200YMSU	#8 X 2"	TWINFAST COARSE	FLAT W/ NIBS	#2 SQUARE	SHARP POINT	YELLOW ZINC	WOOD TO WOOD	CH7390 / CH7392SF
CS8300YMSU	#8 X 3"	TWINFAST COARSE	FLAT W/ NIBS	#2 SQUARE	SHARP POINT	YELLOW ZINC	WOOD TO WOOD	CH7390
CS0300YMSU	#10 X 3"	TWINFAST COARSE	FLAT W/ NIBS	#2 SQUARE	SHARP POINT	YELLOW ZINC	WOOD TO WOOD	CH7390
STAINLESS (SS) SCREWS								
CS8212SMSU	#8 X 2-1/2"	TWINFAST COARSE	FLAT W/ NIBS	#2 SQUARE	SHARP POINT	SS, TYPE 305	SUBFLOOR AND UNDERLAYMENT, WOOD TO WOOD	CH7390
TX0300SMSU-EX	#10 X 3"	COARSE	FLAT W/ NIBS	#20 TORX	PATENTED SHARP ARROW POINT	SS, TYPE 305	EXOTIC HARDWOOD DECKING	CH7390
EXTERIOR SCREWS								
ES8200WMSU-GY	#8 X 2"	TWINFAST COARSE	FLAT W/ NIBS	#2 SQUARE	SHARP POINT	EPOXY SHIELDGUARD, GRAY	DECKING	CH7390 / CH7392SF
ES8212WMSU-B	#8 X 2-1/2"	TWINFAST COARSE	FLAT W/ NIBS	#2 SQUARE	SHARP POINT	EPOXY SHIELDGUARD, BROWN	DECKING	CH7390
ES8212WMSU-G	#8 X 2-1/2"	TWINFAST COARSE	FLAT W/ NIBS	#2 SQUARE	SHARP POINT	EPOXY SHIELDGUARD, GREEN	DECKING	CH7390
ES8300WMSU-B	#8 X 3"	TWINFAST COARSE	FLAT W/ NIBS	#2 SQUARE	SHARP POINT	EPOXY SHIELDGUARD, BROWN	DECKING	CH7390
ES8300WMSU-G	#8 X 3"	TWINFAST COARSE	FLAT W/ NIBS	#2 SQUARE	SHARP POINT	EPOXY SHIELDGUARD, GREEN	DECKING	CH7390
ES8300WMSU-GY	#8 X 3"	TWINFAST COARSE	FLAT W/ NIBS	#2 SQUARE	SHARP POINT	EPOXY SHIELDGUARD, GRAY	DECKING	CH7390
SPECIALTY SCREWS (TILE ROOFING / DECKING)								
ES8212MMSU	#8 X 2-1/2"	TWINFAST COARSE	FLAT W/ NIBS	#2 SQUARE	SHARP POINT	MT 2500, MIAMI DADE APPROVED	DECKING/ROOFING	CH7390
ES8300MMSU	#8 X 3"	TWINFAST COARSE	FLAT W/ NIBS	#2 SQUARE	SHARP POINT	MT 2500, MIAMI DADE APPROVED	DECKING/ROOFING	CH7390

STRIP FASTENERS

	PART #	DESCRIPTION	SIZE	BOX QTY.	COMPATIBLE TOOL	APPLICATION
DRYWALL	AH6100PMS	FINE THREAD, BUGLE HEAD, #2 PHILLIPS DRIVE, SHARP POINT SCREW TIP, BLACK PHOSPHATE COATING - STRIP	#6 X 1"	3000	CH724IDE	DRYWALL TO METAL STUD
	AH6114PMS	FINE THREAD, BUGLE HEAD, #2 PHILLIPS DRIVE, SHARP POINT SCREW TIP, BLACK PHOSPHATE COATING - STRIP	#6 X 1-1/4"	2400	CH724IDE	DRYWALL TO METAL STUD
	AH6158PMSU	FINE THREAD, BUGLE HEAD, #2 PHILLIPS DRIVE, SHARP POINT SCREW TIP, BLACK PHOSPHATE COATING - STRIP	#6 X 1-5/8"	2100	CH7390	DRYWALL TO METAL STUD
	AH6158PMS	FINE THREAD, BUGLE HEAD, #2 PHILLIPS DRIVE, SHARP POINT SCREW TIP, BLACK PHOSPHATE COATING - STRIP	#6 X 1-5/8"	2100	CH724IDE	DRYWALL TO METAL STUD
	BH6100PMS	COARSE THREAD, BUGLE HEAD, #2 PHILLIPS DRIVE, SHARP POINT SCREW TIP, BLACK PHOSPHATE COATING - STRIP	#6 X 1"	3000	CH724IDE	DRYWALL TO WOOD
	BH6114PMS	COARSE THREAD, BUGLE HEAD, #2 PHILLIPS DRIVE, SHARP POINT SCREW TIP, BLACK PHOSPHATE COATING - STRIP	#6 X 1-1/4"	2400	CH724IDE	DRYWALL TO WOOD
	BH6158PMSU	COARSE THREAD, BUGLE HEAD, #2 PHILLIPS DRIVE, SHARP POINT SCREW TIP, BLACK PHOSPHATE COATING - STRIP	#6 X 1-5/8"	2100	CH7390 / CH7392SF	DRYWALL TO WOOD
	BH6158PMS	COARSE THREAD, BUGLE HEAD, #2 PHILLIPS DRIVE, SHARP POINT SCREW TIP, BLACK PHOSPHATE COATING - STRIP	#6 X 1-5/8"	2100	CH724IDE	DRYWALL TO WOOD
WOOD	CS8112YMSU	TWINFAST COARSE THREAD, FLAT HEAD W/ NIBS, #2 SQUARE DRIVE, SHARP POINT SCREW TIP, YELLOW ZINC COATING - STRIP	#8 X 1-1/2"	2100	CH7390 / CH7392SF	SUBFLOOR AND UNDERLAYMENT, WOOD TO WOOD
	CS8134YMSU	TWINFAST COARSE THREAD, FLAT HEAD W/ NIBS, #2 SQUARE DRIVE, SHARP POINT SCREW TIP, YELLOW ZINC COATING - STRIP	#8 X 1-3/4"	1800	CH7390 / CH7392SF	SUBFLOOR AND UNDERLAYMENT, WOOD TO WOOD
	CS8200YMSU	TWINFAST COARSE THREAD, FLAT HEAD W/ NIBS, #2 SQUARE DRIVE, SHARP POINT SCREW TIP, YELLOW ZINC COATING -STRIP	#8 X 2"	1800	CH7390 / CH7392SF	SUBFLOOR AND UNDERLAYMENT, WOOD TO WOOD
	CS8212YMSU	TWINFAST COARSE THREAD, FLAT HEAD W/ NIBS, #2 SQUARE DRIVE, SHARP POINT SCREW TIP, YELLOW ZINC COATING - STRIP	#8 X 2-1/2"	1500	CH7390	SUBFLOOR AND UNDERLAYMENT, WOOD TO WOOD
	CS8300YMSU	TWINFAST COARSE THREAD, FLAT HEAD W/ NIBS, #2 SQUARE DRIVE, SHARP POINT SCREW TIP, YELLOW ZINC COATING - STRIP	#8 X 3"	1200	CH7390	SUBFLOOR AND UNDERLAYMENT, WOOD TO WOOD
	CS0300YMSU	TWINFAST COARSE THREAD, FLAT HEAD W/ NIBS, #2 SQUARE DRIVE, SHARP POINT SCREW TIP, YELLOW ZINC COATING - STRIP	#10 X 3"	1200	CH7390	SUBFLOOR AND UNDERLAYMENT, WOOD TO WOOD
STAINLESS STEEL	CS8212SMSU	TWINFAST COARSE THREAD, FLAT HEAD W/ NIBS, #2 SQUARE DRIVE, SHARP POINT SCREW TIP, STAINLESS STEEL (TYPE 305) COATING - STRIP	#8 X 2-1/2"	1500	CH7390	SUBFLOOR AND UNDERLAYMENT, WOOD TO WOOD
	TX0300SMSU-EX	COARSE THREAD, FLAT HEAD W/ NIBS, #20 TORX DRIVE, PATENTED SHARP ARROW POINT SCREW TIP, STAINLESS STEEL (TYPE 305) COATING - STRIP	#10 X 3"	1200	CH7390	EXOTIC HARDWOOD DECKING
EXTERIOR	ES8200WMSU-GY	TWINFAST COARSE THREAD, FLAT HEAD W/ NIBS, #2 SQUARE DRIVE, SHARP POINT SCREW TIP, EPOXY SHIELDGUARD (GRAY) COATING - STRIP	#8 X 2"	1800	CH7390 / CH7392SF	DECKING
	ES8212WMSU-B	TWINFAST COARSE THREAD, FLAT HEAD W/ NIBS, #2 SQUARE DRIVE, SHARP POINT SCREW TIP, EPOXY SHIELDGUARD (BROWN) COATING - STRIP	#8 X 2-1/2"	1500	CH7390	DECKING
	ES8212WMSU-G	TWINFAST COARSE THREAD, FLAT HEAD W/ NIBS, #2 SQUARE DRIVE, SHARP POINT SCREW TIP, EPOXY SHIELDGUARD (GREEN) COATING - STRIP	#8 X 2-1/2"	1500	CH7390	DECKING
	ES8300WMSU-B	TWINFAST COARSE THREAD, FLAT HEAD W/ NIBS, #2 SQUARE DRIVE, SHARP POINT SCREW TIP, EPOXY SHIELDGUARD (BROWN) COATING - STRIP	#8 X 3"	1200	CH7390	DECKING
	ES8300WMSU-G	TWINFAST COARSE THREAD, FLAT HEAD W/ NIBS, #2 SQUARE DRIVE, SHARP POINT SCREW TIP, EPOXY SHIELDGUARD (GREEN) COATING - STRIP	#8 X 3"	1200	CH7390	DECKING
	ES8300WMSU-GY	TWINFAST COARSE THREAD, FLAT HEAD W/ NIBS, #2 SQUARE DRIVE, SHARP POINT SCREW TIP, EPOXY SHIELDGUARD (GRAY) COATING - STRIP	#8 X 3"	1200	CH7390	DECKING
ROOFING (METAL TO METAL)	K40112B-W- XX	COARSE THREAD, HEX HEAD W/ SEALING EPDM WASHER, 1/4" HEX DRIVE, SHARP POINT SCREW TIP, BRIGHT ZINC COATING - STRIP XX: HEAD COLOR (PLEASE CONTACT DISTRIBUTOR FOR COLOR AND AVAILABILITY)	#10 X 1-1/2"	1350	CH7280	ROOFING / METAL TO METAL (LIGHT GAUGE STEEL)
SELF-DRILLING (METAL TO METAL)	SS0100BMP	FINE THREAD, LOCK HEAD, #2 SQUARE DRIVE, SELF-DRILLING SCREW TIP, BRIGHT ZINC COATING - STRIP	#10 X 1"	2000	CH7280	METAL TO METAL (LIGHT GAUGE STEEL)
	SS0114BMP	FINE THREAD, LOCK HEAD, #2 SQUARE DRIVE, SELF-DRILLING SCREW TIP, BRIGHT ZINC COATING - STRIP	#10 X 1-1/4"	2000	CH7280	METAL TO METAL (LIGHT GAUGE STEEL)
SPECIALTY	YS7114YMS	HIGH-LOW SELF-TAPPING THREAD, TRIM HEAD, #2 SQUARE DRIVE, SHARP POINT SCREW TIP, YELLOW ZINC COATING - STRIP	#7 X 1-1/4"	2400	CH724IDE	SUBFLOOR AND UNDERLAYMENT, WOOD TO WOOD
	ES8212MMSU	TWINFAST COARSE THREAD, FLAT HEAD W/ NIBS, #2 SQUARE DRIVE, SHARP POINT SCREW TIP, MT 2500 (MIAMI DADE APPROVED) COATING - STRIP	#8 X 2-1/2"	1500	CH7390	DECKING/ROOFING
	ES8300MMSU	TWINFAST COARSE THREAD, FLAT HEAD W/ NIBS, #2 SQUARE DRIVE, SHARP POINT SCREW TIP, MT 2500 (MIAMI DADE APPROVED) COATING - STRIP	#8 X 3	1200	CH7390	DECKING/ROOFING

COIL FASTENERS

WOOD	CH8114Y	TWINFAST COARSE THREAD, FLAT HEAD, #2 PHILLIPS DRIVE, SHARP POINT SCREW TIP, YELLOW ZINC COATING - COIL	#8 X 1-1/4"	3600	FDVL42	SUBFLOOR AND UNDERLAYMENT, WOOD TO WOOD
	CH8134Y	TWINFAST COARSE THREAD, FLAT HEAD, #2 PHILLIPS DRIVE, SHARP POINT SCREW TIP, YELLOW ZINC COATING - COIL	#8 X 1-3/4"	2700	FDVL42	SUBFLOOR AND UNDERLAYMENT, WOOD TO WOOD
	CH8134YLP	TWINFAST COARSE THREAD, FLAT HEAD, #2 PHILLIPS DRIVE, SHARP POINT SCREW TIP, YELLOW ZINC COATING - COIL	#8 X 1-3/4"	2700	FDVL42	SUBFLOOR AND UNDERLAYMENT, WOOD TO WOOD
	CH8212YLP	TWINFAST COARSE THREAD, FLAT HEAD, #2 PHILLIPS DRIVE, SHARP POINT SCREW TIP, YELLOW ZINC COATING - COIL	#8 X 2-1/2"	1800	FDVL42	SUBFLOOR AND UNDERLAYMENT, WOOD TO WOOD
	CS8112Y	TWINFAST COARSE THREAD, FLAT HEAD, #2 SQUARE DRIVE, SHARP POINT SCREW TIP, YELLOW ZINC COATING - COIL	#8 X 1-1/2"	2700	FDVL42	SUBFLOOR AND UNDERLAYMENT, WOOD TO WOOD
	CS8114Y	TWINFAST COARSE THREAD, FLAT HEAD, #2 SQUARE DRIVE, SHARP POINT SCREW TIP, YELLOW ZINC COATING - COIL	#8 X 1-1/4"	3600	FDVL42	SUBFLOOR AND UNDERLAYMENT, WOOD TO WOOD
	CS8134Y	TWINFAST COARSE THREAD, FLAT HEAD, #2 SQUARE DRIVE, SHARP POINT SCREW TIP, YELLOW ZINC COATING - COIL	#8 X 1-3/4"	2700	FDVL42	SUBFLOOR AND UNDERLAYMENT, WOOD TO WOOD
	CS8134YLP	TWINFAST COARSE THREAD, FLAT HEAD, #2 SQUARE DRIVE, SHARP POINT SCREW TIP, YELLOW ZINC COATING - COIL	#8 X 1-3/4"	2700	FDVL42	SUBFLOOR AND UNDERLAYMENT, WOOD TO WOOD
	CS8200YLP	TWINFAST COARSE THREAD, FLAT HEAD, #2 SQUARE DRIVE, SHARP POINT SCREW TIP, YELLOW ZINC COATING - COIL	#8 X 2"	1800	FDVL42	SUBFLOOR AND UNDERLAYMENT, WOOD TO WOOD
	CS8212YLP	TWINFAST COARSE THREAD, FLAT HEAD, #2 SQUARE DRIVE, SHARP POINT SCREW TIP, YELLOW ZINC COATING - COIL	#8 X 2-1/2"	1800	FDVL42	SUBFLOOR AND UNDERLAYMENT, WOOD TO WOOD
	CS8300YEP	TWINFAST COARSE THREAD, FLAT HEAD, #2 SQUARE DRIVE, SHARP POINT SCREW TIP, YELLOW ZINC COATING - COIL	#8 X 3"	900	FDVL42	SUBFLOOR AND UNDERLAYMENT, WOOD TO WOOD
	CS0212BLP	TWINFAST COARSE THREAD, FLAT HEAD, #2 SQUARE DRIVE, SHARP POINT SCREW TIP, BRIGHT ZINC COATING - COIL	#10 X 2-1/2"	1800	FDVL42	SUBFLOOR AND UNDERLAYMENT, WOOD TO WOOD

COIL FASTENERS (continued)

	PART #	DESCRIPTION	SIZE	BOX QTY.	COMPATIBLE TOOL	APPLICATION
STAINLESS STEEL	CS8200SLP-T17	TWINFAST COARSE THREAD, BUGLE HEAD, #2 SQUARE DRIVE, TYPE 17 SHARP POINT SCREW TIP, STAINLESS STEEL (TYPE 305) COATING - COIL	#8 X 2"	1800	FDVL42	WOOD TO WOOD
	CS8212SLP-T17	TWINFAST COARSE THREAD, BUGLE HEAD, #2 SQUARE DRIVE, TYPE 17 SHARP POINT SCREW TIP, STAINLESS STEEL (TYPE 305) COATING - COIL	#8 X 2-1/2"	1800	FDVL42	WOOD TO WOOD
	CS0212SLP-T17	TWINFAST COARSE THREAD, BUGLE HEAD, #2 SQUARE DRIVE, TYPE 17 SHARP POINT SCREW TIP, STAINLESS STEEL (TYPE 305) COATING - COIL	#10 X 2-1/2"	1800	FDVL42	WOOD TO WOOD
	CS0300SEP-T17	TWINFAST COARSE THREAD, BUGLE HEAD, #2 SQUARE DRIVE, TYPE 17 SHARP POINT SCREW TIP, STAINLESS STEEL (TYPE 305) COATING - COIL	#10 X 3"	900	FDVL42	WOOD TO WOOD
	CS0212SLP-316	TWINFAST COARSE THREAD, BUGLE HEAD, #2 SQUARE DRIVE, SHARP POINT SCREW TIP, STAINLESS STEEL (TYPE 316) COATING - COIL	#10 X 2-1/2"	1800	FDVL42	WOOD TO WOOD
	CS0300SEP-316	TWINFAST COARSE THREAD, BUGLE HEAD, #2 SQUARE DRIVE, SHARP POINT SCREW TIP, STAINLESS STEEL (TYPE 316) COATING - COIL	#10 X 3"	900	FDVL42	WOOD TO WOOD
	CX0300SEP-T17	COARSE THREAD, BUGLE HEAD, #20 TORX DRIVE, TYPE 17 SHARP POINT SCREW TIP, STAINLESS STEEL (TYPE 305) COATING - COIL	#10 X 3"	900	FDVL42	WOOD TO WOOD
	TX0212SFD	COARSE THREAD, TRIM HEAD, #20 TORX DRIVE, SHARP POINT SCREW TIP, STAINLESS STEEL (TYPE 305) COATING - COIL	#10 X 2-1/2"	900	FDVL42	COMPOSITE DECK
	TX0212SFD-316	COARSE THREAD, TRIM HEAD, #20 TORX DRIVE, SHARP POINT SCREW TIP, STAINLESS STEEL (TYPE 316) COATING - COIL	#10 X 2-1/2"	900	FDVL42	COMPOSITE DECK
	TX0212SLP-EX	EXOTIC HARDWOOD SCREW, COARSE THREAD, FLAT HEAD W/ NIBS, #20 TORX DRIVE, SHARP ARROW POINT SCREW TIP, STAINLESS STEEL (TYPE 305) COATING - COIL	#10 X 2-1/2"	900	FDVL42	COMPOSITE/HARDWOOD DECK
	TX0300SEP	COARSE THREAD, TRIM HEAD, #20 TORX DRIVE, SHARP POINT SCREW TIP, STAINLESS STEEL (TYPE 305) COATING - COIL	#10 X 3"	900	FDVL42	COMPOSITE DECK
	TX0300SEP-EX	EXOTIC HARDWOOD SCREW, COARSE THREAD, TRIM HEAD, #20 TORX DRIVE, SHARP ARROW POINT SCREW TIP, STAINLESS STEEL (TYPE 305) COATING - COIL	#10 X 3"	900	FDVL42	COMPOSITE/HARDWOOD DECK
CEMENT BOARD	ABS8134G	COARSE THREAD, FLAT HEAD, #2 SQUARE DRIVE, SHARP POINT SCREW TIP, SILVER, CLASS 3 GALVANIZED COATING - COIL	#8 X 1-3/4"	2700	FDVL42	CEMENT BOARD TO WOOD
	RS0158G	SELF-TAPPING THREAD, FLAT HEAD W/ CUTTING NIBS, #2 SQUARE DRIVE, SELF-DRILLING W/ WINGS SCREW TIP, SILVER, CLASS 3 GALVANIZED COATING - COIL	#10 X 1-5/8"	2700	FDVL42	CEMENT BOARD TO WOOD/STEEL
SUPER WING	RSM532BFL	SELF-TAPPING THREAD, FLAT HEAD W/ NIBS, #2 SQUARE DRIVE, SELF-DRILLING W/ WINGS SCREW TIP, BRIGHT ZINC COATING - COIL	M5 X 32 MM (#12 X 1-1/4")	2400	FLVL42 / HDVL71	WOOD TO STEEL/ALUMINUM
	RSM537BFL	SELF-TAPPING THREAD, FLAT HEAD W/ NIBS, #2 SQUARE DRIVE, SELF-DRILLING W/ WINGS SCREW TIP, BRIGHT ZINC COATING - COIL	M5 X 37 MM (#12 X 1-7/16")	1800	FLVL42 / HDVL71	WOOD TO STEEL/ALUMINUM
	RSM547BFL	SELF-TAPPING THREAD, FLAT HEAD W/ NIBS, #2 SQUARE DRIVE, SELF-DRILLING W/ WINGS SCREW TIP, BRIGHT ZINC COATING - COIL	M5 X 47 MM (#12 X 1-3/4")	1800	FLVL42 / HDVL71	WOOD TO STEEL/ALUMINUM
	RSM547WFL-GY	SELF-TAPPING THREAD, FLAT HEAD W/ NIBS, #2 SQUARE DRIVE, SELF-DRILLING W/ WINGS SCREW TIP, EPOXY SHIELDGUARD (GRAY) COATING - COIL	M5 X 47 MM (#12 X 1-3/4")	1800	FLVL42 / HDVL71	WOOD TO STEEL/ALUMINUM
	RSM562BFL	SELF-TAPPING THREAD, FLAT HEAD W/ NIBS, #2 SQUARE DRIVE, SELF-DRILLING W/ WINGS SCREW TIP, BRIGHT ZINC COATING - COIL	M5 X 62 MM (#12 X 2-1/2")	1200	FLVL42 / HDVL71	WOOD TO STEEL/ALUMINUM
	RSM562WFL-GY	SELF-TAPPING THREAD, FLAT HEAD W/ NIBS, #2 SQUARE DRIVE, SELF-DRILLING W/ WINGS SCREW TIP, EPOXY SHIELDGUARD (GRAY) COATING - COIL	M5 X 62MM (#12 X 2-1/2")	1200	FLVL42 / HDVL71	WOOD TO STEEL/ALUMINUM
	RSM572BFL	SELF-TAPPING THREAD, FLAT HEAD W/ NIBS, #2 SQUARE DRIVE, SELF-DRILLING W/ WINGS SCREW TIP, BRIGHT ZINC COATING - COIL	M5 X 72 MM (#12 X 3")	600	FLVL42 / HDVL71	WOOD TO STEEL/ALUMINUM
	RSM640BFL	SELF-TAPPING THREAD, FLAT HEAD W/ NIBS, #3 SQUARE DRIVE, SELF-DRILLING W/ WINGS SCREW TIP, BRIGHT ZINC COATING - COIL	M6 X 40 MM (#14 X 1-1/2")	1800	FLVL42 / HDVL71	WOOD TO STEEL/ALUMINUM
	RSM645BFL	SELF-TAPPING THREAD, FLAT HEAD W/ NIBS, #3 SQUARE DRIVE, SELF-DRILLING W/ WINGS SCREW TIP, BRIGHT ZINC COATING - COIL	M6 X 45 MM (#14 X 1-3/4")	1800	FLVL42 / HDVL71	WOOD TO STEEL/ALUMINUM
	RSM645WFL-GY	SELF-TAPPING THREAD, FLAT HEAD W/ NIBS, #3 SQUARE DRIVE, SELF-DRILLING W/ WINGS SCREW TIP, EPOXY SHIELDGUARD (GRAY) COATING - COIL	M6 X 45 MM (#14 X 1-3/4")	1800	FLVL42 / HDVL71	WOOD TO STEEL/ALUMINUM
	RSM655BFL	SELF-TAPPING THREAD, FLAT HEAD W/ NIBS, #3 SQUARE DRIVE, SELF-DRILLING W/ WINGS SCREW TIP, BRIGHT ZINC COATING - COIL	M6 X 55 MM (#14 X 2")	1200	FLVL42 / HDVL71	WOOD TO STEEL/ALUMINUM
	RSM665BFL	SELF-TAPPING THREAD, FLAT HEAD W/ NIBS, #3 SQUARE DRIVE, SELF-DRILLING W/ WINGS SCREW TIP, BRIGHT ZINC COATING - COIL	M6 X 65 MM (#14 X 2-1/2")	1200	FLVL42 / HDVL71	WOOD TO STEEL/ALUMINUM
	RSM665WFL-GY	SELF-TAPPING THREAD, FLAT HEAD W/ NIBS, #3 SQUARE DRIVE, SELF-DRILLING W/ WINGS SCREW TIP, EPOXY SHIELDGUARD (GRAY) COATING - COIL	M6 X 65 MM (#14 X 2-1/2")	1200	FLVL42 / HDVL71	WOOD TO STEEL/ALUMINUM
	RSM675BFL	SELF-TAPPING THREAD, FLAT HEAD W/ NIBS, #3 SQUARE DRIVE, SELF-DRILLING W/ WINGS SCREW TIP, BRIGHT ZINC COATING - COIL	M6 X 75 MM (#14 X 3")	600	FLVL42 / HDVL71	WOOD TO STEEL/ALUMINUM
	RSM675WFL-GY	SELF-TAPPING THREAD, FLAT HEAD W/ NIBS, #3 SQUARE DRIVE, SELF-DRILLING W/ WINGS SCREW TIP, EPOXY SHIELDGUARD (GRAY) COATING - COIL	M6 X 75 MM (#14 X 3")	600	FLVL42 / HDVL71	WOOD TO STEEL/ALUMINUM
EXTERIOR	ES8200WLP-G	TWINFAST COARSE THREAD, FLAT HEAD W/ NIBS, #2 SQUARE DRIVE, SHARP POINT SCREW TIP, EPOXY SHIELDGUARD (GREEN) COATING - COIL	#8 X 2"	1800	FDVL42	DECKING
	ES8200WLP-GY	TWINFAST COARSE THREAD, FLAT HEAD W/ NIBS, #2 SQUARE DRIVE, SHARP POINT SCREW TIP, EPOXY SHIELDGUARD (GRAY) COATING - COIL	#8 X 2"	1800	FDVL42	DECKING
	ES8212WLP-B	TWINFAST COARSE THREAD, FLAT HEAD W/ NIBS, #2 SQUARE DRIVE, SHARP POINT SCREW TIP, EPOXY SHIELDGUARD (BROWN) COATING - COIL	#8 X 2-1/2"	1800	FDVL42	DECKING
	ES8212WLP-G	TWINFAST COARSE THREAD, FLAT HEAD W/ NIBS, #2 SQUARE DRIVE, SHARP POINT SCREW TIP, EPOXY SHIELDGUARD (GREEN) COATING - COIL	#8 X 2-1/2"	1800	FDVL42	DECKING
	ES8212WLP-GY	TWINFAST COARSE THREAD, FLAT HEAD W/ NIBS, #2 SQUARE DRIVE, SHARP POINT SCREW TIP, EPOXY SHIELDGUARD (GRAY) COATING - COIL	#8 X 2-1/2"	1800	FDVL42	DECKING
	ES8300WEP-B	TWINFAST COARSE THREAD, FLAT HEAD W/ NIBS, #2 SQUARE DRIVE, SHARP POINT SCREW TIP, EPOXY SHIELDGUARD (BROWN) COATING - COIL	#8 X 3"	900	FDVL42	DECKING
	ES8300WEP-G	TWINFAST COARSE THREAD, FLAT HEAD W/ NIBS, #2 SQUARE DRIVE, SHARP POINT SCREW TIP, EPOXY SHIELDGUARD (GREEN) COATING - COIL	#8 X 3"	900	FDVL42	DECKING
	ES8300WEP-GY	TWINFAST COARSE THREAD, FLAT HEAD W/ NIBS, #2 SQUARE DRIVE, SHARP POINT SCREW TIP, EPOXY SHIELDGUARD (GRAY) COATING - COIL	#8 X 3"	900	FDVL42	DECKING
	TX0212CLP-GY	REVERSE THREAD, TRIM HEAD, #20 TORX DRIVE, SHARP POINT SCREW TIP, CERAMIC (GRAY) COATING - COIL	#10 X 2-1/2"	900	FDVL42	COMPOSITE DECK
	TX0212CLP-TN	REVERSE THREAD, TRIM HEAD, #20 TORX DRIVE, SHARP POINT SCREW TIP, CERAMIC (TAN) COATING - COIL	#10 X 2-1/2"	900	FDVL42	COMPOSITE DECK
	YS8212SLP	COARSE THREAD, TRIM HEAD, #2 SQUARE DRIVE, SHARP POINT SCREW TIP, STAINLESS STEEL (TYPE 305) COATING - COIL	#8 X 2-1/2"	900	FDVL42	DECKING
SPECIALTY	CS8300YEPSPEC	TWINFAST COARSE THREAD, BUGLE HEAD, #2 SQUARE DRIVE, SHARP POINT SCREW TIP, YELLOW ZINC COATING - COIL	#8 X 3"	900	FLVL42	FLOORING/DECKING
	CXM655PFL	COARSE THREAD, FLAT HEAD W/ NIBS, #30 TORX DRIVE, TYPE F SCREW TIP (PRE-DRILLING REQ'D), BLACK PHOSPHATE COATING - COIL	M6 X 55 MM (#14 X 2")	1200	FLVL42	TRAILER FLOOR
	RSM644SFL	SELF-TAPPING THREAD, FLAT HEAD W/ NIBS, #3 SQUARE DRIVE, SELF-DRILLING W/ WINGS SCREW TIP, STAINLESS STEEL (TYPE 410) COATING - COIL	M6 X 44 MM (#14 X 1-3/4")	1800	FLVL42 / HDVL71	WOOD TO STEEL/ALUMINUM
	WS2134BFL	SELF-TAPPING THREAD, WAFER HEAD, #3 SQUARE DRIVE, SELF-DRILLING W/ WINGS SCREW TIP, BRIGHT ZINC COATING - COIL	#12 X 1-3/4"	1800	FLVL42	FIBREGLOSS TO STEEL
	WS2138BFL	SELF-TAPPING THREAD, WAFER HEAD, #3 SQUARE DRIVE, SELF-DRILLING W/ WINGS SCREW TIP, BRIGHT ZINC COATING - COIL	#12 X 1-3/8"	1800	FLVL42	FIBREGLOSS TO STEEL